



APPROVED VARIETIES



The list of sugarcane varieties approved for planting has been revised to include maturity trends. Varieties that are no longer planted have been removed from the approved varieties list. The varieties are recommended to growers on their soil type. The growers have a choice of at least three varieties to plant on their farms as laid down in the Master Award.

Mill/Sectors	Soil types	Varieties recommended on maturity trends	
		Early – mid maturing	Mid – late maturing
Lautoka/Olosara	Rich alluvial soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
Lautoka/Cuvu	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
	Sandy soils	LF91-1925	Kaba, Mana, Viwa
Lautoka/Lomawai	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
	Sandy soils	LF91-1925	Kaba, Mana, Galoa
Lautoka/Yako	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
	Sandy soils	LF91-1925	Kaba, Mana, Galoa
Lautoka/Nawaicoba	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
	Sandy soils	LF91-1925	Kaba, Mana, Galoa
Lautoka/Malolo	Flat Fertile soil	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
Lautoka/Qeleloa	Rich alluvial soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
Lautoka/Meigunyah	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
Lautoka/Legalega	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa

Mill/Sectors	Soil types	Varieties recommended on maturity trends	
		Early – mid maturing	Mid – late maturing
Lautoka/Natova	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
	Sandy soils	LF91-1925	Kaba, Mana, Galoa
Lautoka/Lautoka	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
Lautoka/Saweni	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
Lautoka/Saweni	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
	Sandy soils	LF91-1925	Kaba, Mana, Galoa
Lautoka/Lovu	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
Lautoka/Drasa	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
	Sandy soils	LF91-1925	Kaba, Mana, Galoa
Rarawai/Varoko	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
Rarawai/Mota	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
Rarawai/Naloto	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
Rarawai/Koronubu	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
Rarawai/Veisaru	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa

Mill/Sectors	Soil types	Varieties recommended on maturity trends	
		Early – mid maturing	Mid – late maturing
Rarawai/Veisarua	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
Rarawai/Rarawai	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
Rarawai/Varavu	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
Rarawai/Tagitagi	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Mana, Kaba, Vatu, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
	Saline areas	Naidiri, LF91-1925	Kaba, Mana, Galoa
Rarawai/Yaladro	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
Rarawai/Drumasi	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Mana, Kaba, Vatu, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
	Saline areas	Naidiri, LF91-1925	Kaba, Mana, Galoa
Labasa/Waiqelevu	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	Naidiri, LF91-1925, Qamea	Kaba, Mali, Viwa
Labasa/Wailevu	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	Naidiri, LF91-1925, Qamea	Kaba, Mali, Viwa
	Saline soils	Naidiri, LF91-1925	Galoa, Vatu
Labasa/Vunimoli	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	Naidiri, LF91-1925, Qamea	Kaba, Mali, Viwa
Labasa/Labasa	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
Labasa/Labasa	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	Naidiri, LF91-1925, Qamea	Kaba, Mali, Viwa
	Saline soils	Naidiri, LF91-1925	Galoa, Vatu, Mali

Mill/Sectors	Soil types	Varieties recommended on maturity trends	
		Early – mid maturing	Mid – late maturing
Labasa/Bucaisau	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Waya, Viwa
	Poor soils	Naidiri, LF91-1925, Qamea	Kaba, Waya, Mali, Viwa
	Saline soils	Naidiri, LF91-1925	Galoa, Vatu, Mali
Labasa/Wainikoro	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Waya, Viwa
	Poor soils	Naidiri, LF91-1925, Qamea	Kaba, Waya, Mali, Viwa
	Saline soils	Naidiri, LF91-1925	Galoa, Vatu, Mali
Labasa/Daku	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Waya, Viwa
	Poor soils	Naidiri, LF91-1925, Qamea	Kaba, Waya, Mali, Viwa
Labasa/Natua	Poor soils	Aiwa, Naidiri, LF91-1925, Qamea	Ragnar, Kaba, Mali, Viwa
Labasa/Solove	Poor soils	Aiwa, Naidiri, LF91-1925, Qamea	Ragnar, Kaba, Mali, Viwa
Labasa/Bulivou	Poor soils	Aiwa, Naidiri, LF91-1925, Qamea	Ragnar, Kaba, Mali, Viwa
Penang/Nanuku	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
	Salt affected areas	Naidiri, LF91-1925	Galoa
	Viti Vanua area	Naidiri, LF91-1925, Qamea	Mana, Kaba, Kiuva, Mali, Viwa
Penang/Malau	Rich alluvial soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Mali, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
	Salt affected areas	Naidiri, LF91-1925	Galoa
Penang/Ellington	Flat Fertile soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Kiuva, Viwa
	Medium soils	Aiwa, Beqa, Naidiri, LF91-1925	Ragnar, Kaba, Vatu, Kiuva, Mali, Viwa
	Poor soils	LF91-1925, Qamea	Kaba, Mana, Viwa
	Salt affected areas	Naidiri, LF91-1925	Galoa